



**AkzoNobel**

Tomorrow's Answers Today

## Triameen Y12D-30

### Guideline formulation on Triameen Y12D-30 for surface disinfection

Fatty amine derivatives are widely used in formulations for the control of bacteria, fungi and algae. This Technical Data Sheet gives information on one of AkzoNobel's main products in disinfection called Triameen Y12D-30. Typical data, and data on biocidal activity, are shown on the next pages.

### Product

AkzoNobel produces an extensive range of fatty amine derivatives with antimicrobial properties. The outstanding features of fatty amine derivatives as disinfectant are high efficacy against a broad spectrum of micro-organisms and relatively low toxicity when used at recommended use level. Triameen Y12D-30 is very stable at a wide pH range. Furthermore the product is compatible with many anionic, nonionic and cationic surfactants and non-corrosive to metals. Triameen Y12D-30 can be used in many applications for microbiological control e.g. in hospitals, food and feed areas, water treatments or chain lubricants.

AkzoNobel Surface Chemistry is committed to continue activities within the field of biocides after the implementation of the BPD. Our main products are notified and will be registered and accordingly will continue to be available for our customers in the future. The European Union has accepted our notification dossier for this active. An extensive research program was undertaken to develop further data on this active ingredient.

It is well known that organic soiling on surfaces to be disinfected may protect organisms and interact with biocidal agents. Our formulation has been designed for step 2 of a two-stage process of first cleaning and then disinfecting. The recommended guideline formulation gives optimal wetting of the surface to achieve intimate contact between the biocide and the micro-organisms to be controlled.

The test on bactericidal activity was performed according to suspension test EN 1276 and the fungicidal activity was tested according to EN 1650.



## Guideline formulation

### Composition

- 10% Triameen Y12D-30 (Dodecyl Dipropylene Triamine)
- 1% Dissolvine NA3 (EDTA. Na<sub>3</sub>.H)
- balance water

### Ready to use concentration

The ready to use concentration is a 1:200 dilution of the guideline formulation at high water hardness (17°dH)

### Typical data and properties


Properties	Concentrate	1:200 dilution
Appearance at 20°C	clear liquid	clear liquid
Clarity interval	0-65°C	0 ->100°C
Density	1,0 kg/m <sup>3</sup>	1,0 kg/m <sup>3</sup>
pH	10,5	8,9
Foam height (20°C, 3.8 °dH according to "Vindan") Immediately After 1 minute		135 mm 120 mm
Surface tension (Du Noüy)		27,3 mNm
CMC	0,17g/l	

## Disinfectant effect of the Triameen Y12D-30 formulation

### Biocidal efficacy of Triameen Y12D-30 against different organisms

Test methods: EN 1276 bactericidal test – EN 1650 fungicidal test  
 Contact time: 5 minutes (bactericidal) – 15 minutes (fungicidal)  
 Protein load: 0.03%  
 Water hardness: 17°dH  
 Formulation: 5% Triameen Y12D-30, 1% Dissolvine NA3

Conc. of Triameen [ppm active substance]  
 to obtain log 5 reduction (bactericidal)  
 to obtain log 4 reduction (fungicidal)



Triameen® is a registered trademark in many countries.

All information concerning these products and/or all suggestions for handling and use contained herein are offered in good faith and believed to be reliable. Akzo Nobel Surface Chemistry AB and its affiliates, however, make no warranty as to the accuracy and/or sufficiency of such information and/or suggestions, as to the products' merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. Buyer must determine for himself, by preliminary tests or otherwise, the suitability of these products for his purposes. The information contained herein supersedes all previously issued bulletins on the subject matter covered. The user may forward, distribute and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use.